

THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

HARDWOOD DECKING - 2016

Thompson Mahogany is a direct importer and wholesaler of popular exotic hardwood decking species – Cumaru, Garapa, Ipe and Massaranduba.

Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our **One Deck at a Time®** program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.

Cumaru Decking, S4S,E4E, 7'-20'

4/4	1x4, 1x4 PG, 1x6, 1x8
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG
8/4	2x4, 2x6
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Garapa Decking, S4S,E4E, 7'-20'

4/4	1x6
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG
8/4	2x2, 2x4, 2x6
16/4	4x4
Accessories	3/8" Plugs, *only custom rail profiles available



Ipe Decking, S4S,E4E, 7'-20'

4/4	1x2, 1x4, 1x4 PG, 1x6, 1x6 Extra, 1x6 PG, 1x6 Extra PG, 1x8
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG, 5/4x8, 5/4x10, 5/4x12
8/4	2x2, 2x3, 2x4, 2x6, 2x8, 2x10, 2x12
12/4	3x4, 3x6, 3x8, 3x12
16/4	4x4, 4x6, 4x8, 4x12
24/4	6x6
32/4	8x8
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Massaranduba Decking, S4S,E4E, 7'-20'

4/4	1x4, 1x4 PG, 1x6
5/4	5/4x4, 5/4x4 PG, 5/4x6, 5/4x6 PG
8/4	2x6
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

FSC® CERTIFIED HARDWOOD DECKING - 2016

Thompson Mahogany is a direct importer and wholesaler of popular FSC® Certificated Hardwood Decking which is a great option for a sustainable outdoor space for your home or workplace.

Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our **One Deck at a Time®** program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.

FSC® Certified Cumaru Decking, S4S,E4E, 7'-20'

5/4	5/4x6
-----	-------

FSC® Certified Ipe Decking, S4S,E4E, 7'-20'

4/4	1x4, 1x6, 1x8
5/4	5/4x4, 5/4x6, 5/4x8
8/4	2x2(3'-20' available), 2x4, 2x6, 2x8



We can help you select the proper wood and advise you on how to install it. We also carry specialized tools and hardware to help you install your FSC® Certificated Hardwood Decking.

FSC® Certified Hardwood Decking is great because it last 25 plus years so it is also a long term product so you will not need to replace it nearly as quickly as soft wood options.

The FSC® certification insures buyers of a legal and environmentally sustainable supply chain and also ensures compliance with government procurement regulations.

FSC® Certified Hardwood Decking is a great way for earning credit in LEED green building projects. For additional questions about LEED, please visit www.usgbc.org.



The mark of
responsible forestry

HARDWOOD RAILING SYSTEM - 2016

Thompson Mahogany offers hardwood railing systems for use with all of our decking and porch flooring products. Choose from our standard decking species – Cumaru, Garapa, Ipe or Massaranduba.

Sizes – Railing systems are available in random lengths 7' to 20'. Please contact us to find out our current stock levels, sizes and lengths available as they vary at any given time. We also offer millwork services for special sizes or profiles.


Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our One Deck at a Time® program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.

Hardwood Railing Systems, S4S, 7'-20'

Railing Part (milled from)	Species Available
1 1/2" Handrail (2x4)	Ipe, Garapa, Cumaru
3/4" Subrail (1x4)	Massaranduba
1" Subrail (5/4x4)	Ipe, Garapa, Cumaru
1 1/4" Big Railcap (2x6)	Ipe, Garapa, Cumaru
1" Flat Railcap (5/4x6)	Ipe, Garapa, Cumaru, Massaranuba


1-1/4" Big Railcap
(1-1/4" x 5-1/4")



1" Flat Railcap
(1" x 5-1/4")



Big Rail Diagram




3/4" Subrail
(3/4" x 3-1/8")



1" Subrail
(1" x 3-1/8")




Flat Rail Diagram



Handrail
(1 1/2" x 3-1/4")



Handrail Diagram



THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

HARDWOOD T&G PORCH FLOORING - 2016

Thompson Mahogany offers hardwood Tongue-and-Groove (T&G) Porch Flooring for exterior covered porches. Choose from our standard decking species – Cumaru, Garapa, Ipe or Massaranduba.

Sizes – T&G Porch Flooring is available in random lengths 7' to 20'. Please contact us to find out our current stock levels, sizes and lengths available as they vary at any given time. We also offer millwork services for special sizes or profiles.

Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our One Deck at a Time® program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.

Cumaru T&G Porch Flooring, S4S, 7'-20'

4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Garapa T&G Porch Flooring, S4S, 7'-20'

4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, *only custom rail profiles available





Ipe T&G Porch Flooring, S4S, 7'-20'

4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



Massaranduba T&G Porch Flooring, S4S, 7'-20'

4/4	1x4 (Net 11/16" x 3" T&G)
5/4	5/4x4 (Net 15/16" x 3" T&G)
Accessories	3/8" Plugs, Sub-Rail, Rail Cap



THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

HARDWOOD SHIPLAP SIDING - 2016

Thompson Mahogany offers hardwood Shiplap Siding for exterior walls and ceilings. Choose from our standard decking species – Cumaru, Garapa, Ipe or Massaranduba.

Sizes – Shiplap Siding is available in random lengths 7' to 20'. Please contact us to find out our current stock levels, sizes and lengths available as they vary at any given time. We also offer millwork services for special sizes or siding profiles.

Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our **One Deck at a Time®** program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.

Cumaru Shiplap Siding, S4S, 7'-20'

1 x 4	Net 10/16" x 3" with 2-5/8" face, 1/8" reveal
1 x 6	Net 10/16" x 5" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



Garapa Shiplap Siding, S4S, 7'-20'

1 x 6	Net 10/16" x 5" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs




Ipe Shiplap Siding, S4S, 7'-20'

1 x 4	Net 10/16" x 3" with 2-5/8" face, 1/8" reveal
1 x 6	Net 10/16" x 5" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



Massaranduba Shiplap Siding, S4S, 7'-20'

1 x 4	Net 10/16" x 3" with 2-5/8" face, 1/8" reveal
1 x 6	Net 10/16" x 5" with 4-1/2" face, 1/8" reveal
Accessories	3/8" Plugs



THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

HARDWOOD RAINSCREEN SIDING 2016

Thompson Mahogany offers hardwood Rainscreen Siding for exterior walls and ceilings. Choose from our standard decking species – Cumaru, Garapa, Ipe or Massaranduba. A rainscreen is an exterior wall detail where the siding (wall cladding) stands off from the moisture-resistant surface of an air barrier applied to the sheathing (sheeting) to create a capillary break and to allow drainage and evaporation.

Sizes – Rainscreen Siding is available in random lengths 7' to 20'. Please contact us to find out our current stock levels, sizes and lengths available as they vary at any given time. We also offer millwork services for special sizes or siding profiles.

Wholesale Minimums – Thompson Mahogany does not require minimum orders for its decking products. Stocking program customers as well as non-stocking customers may buy in units or job lots through our **One Deck at a Time®** program. Please note that there is a price difference in wholesale unit orders and wholesale job lot orders.

Pricing – Contact us for pricing details.



Cumaru Rainscreen Siding, S4S, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"
Accessories	Deckwise Hidden Siding Fasteners

Garapa Rainscreen Siding, S4S, 7'-20'



5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"
Accessories	Deckwise Hidden Siding Fasteners

Ipe Rainscreen Siding, S4S, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"
Accessories	Deckwise Hidden Siding Fasteners

Massaranduba Rainscreen Siding, S4S, 7'-20'

5/4 x 4	Net 0.960" x 3-1/16"
5/4 x 6	Net 0.960" x 5-1/16"
Accessories	Deckwise Hidden Siding Fasteners



THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY Toll Free: 1-800-589-6637
 FOB Fairless Hills, PA Fax: 1-215-269-7354
 Hours: Monday-Friday, info@thomahog.com
 8:00 a.m. – 5:00 p.m. EST

ACCESSORIES - FASTENERS 2016



1-5/8" #7 350 Stainless Steel Screws

- 305 pieces/box – covers 100 SF with joists 16" o.c.
- Square Drive

2-1/4" #7 350 Stainless Steel Screws

- 305 pieces/box – covers 100 SF with joists 16" o.c.
- Square Drive



Cumaru Plugs

- 3/8" diameter
- 5/16" to 3/8" long

Ipe Plugs

- 3/8" diameter
- 5/16" to 3/8" long

Garapa Plugs

- 3/8" diameter
- 5/16" to 3/8" long

Massaranduba Plugs

- 3/8" diameter
- 5/16" to 3/8" long

EBE004Orig-3/32"



EB-TY® Original™ 3/32" Hidden Deck Fasteners™

EBE-004 – 175 piece (100 SF 16" o.c.)

12 plugs, 190 Stainless Screws
 Automatically provides 3/32" spacing between deck boards. For use with net 1" air-dried deck boards.

- Height: 1/2" Width: 1" Length: 2-3/8"
- Thickness: .140" Keel Thickness: 3/32"

EBE007Mini-3/32"



EB-TY® Mini™ 3/32" Hidden Deck Fasteners™

EBE-007JR 175 piece (100 SF 16" o.c.)

12 plugs, 190 Stainless Screws
 Automatically provides 3/32" spacing between deck boards. The EB-TY® Mini™ Fastener has a lower profile height than EB-TY® Original™ and is for use with net 11/16" and 3/4" air-dried deck boards.

- Height: 13/32" Width: 1" Length: 2-3/8"
- Thickness: .140" Keel Thickness: 3/32"

EBE005LC-1/4"



EB-TY® Live Cylinder™ 1/4" Hidden Deck Fasteners™

EBE-005LC – 175 pc (100 SF 16" o.c.)

12 plugs, 190 Stainless Screws
 Automatically provides 1/4" spacing between deck boards. The EB-TY® L.C. fastener is used with net 1" thick kiln-dried deck boards and can absorb as much as 5/32" lateral expansion.

- Height: 1/2" Width: 1" Length: 2-3/8"
- Thickness: .140" Keel Thickness: 1/4"

EBE006JR-1/4"



EB-TY® L.C. Jr. Live Cylinder™ 1/4" Hidden Deck Fasteners™

EBE-006LC – 175 pc (100 SF 16" o.c.)

12 plugs, 190 Stainless Screws
 Automatically provides 1/4" spacing between deck boards. The EB-TY® L.C. Jr.™ fastener has a lower profile height than the EB-TY® L.C.™ and is used w/ net 3/4" thick KD deck boards & can absorb as much as 5/32" lateral expansion.

- Height: 13/32" Width: 1" Length: 2-3/8"
- Thickness: .140" Keel Thickness: 1/4"



Ipe Clip® Extreme™ 3/32" Hidden Deck Fasteners™

SHORT – 175 piece (100 SF 16" o.c.)

Automatically provides 3/32" spacing between deck boards The SHORT fastener is used with net 3/4" air-dried deck boards.

- (175) IPE CLIP® EXTREME™ Fasteners
- (190) Stainless Steel T10 – Star Drive Screws
- (12) 3/8" Tapered Ipe Plugs
- (1) 1/8" High Speed Drill Bit
- (1) Screw Gun Driver Bit, (1) Instruction Sheet



Ipe Clip® Extreme™ 3/32" Hidden Deck Fasteners™

TALL – 175 piece (100 SF 16" o.c.)

Automatically provides 3/32" spacing between deck boards The TALL fastener is used with net 1" air-dried deck boards.

- (175) IPE CLIP® EXTREME™ Fasteners
- (190) Stainless Steel T10 – Star Drive Screws
- (12) 3/8" Tapered Ipe Plugs
- (1) 1/8" High Speed Drill Bit
- (1) Screw Gun Driver Bit, (1) Instruction Sheet



Ipe Clip® Extreme™ 1/4" Hidden Deck Fasteners™

SHORT – 175 piece (100 SF 16" o.c.)

Automatically provides 3/32" spacing between deck boards The SHORT fastener is used with net 3/4" air-dried deck boards.

- (175) IPE CLIP® EXTREME™ Fasteners
- (190) Stainless Steel T10 – Star Drive Screws
- (12) 3/8" Tapered Ipe Plugs
- (1) 1/8" High Speed Drill Bit
- (1) Screw Gun Driver Bit, (1) Instruction Sheet



Ipe Clip® Extreme™ 1/4" Hidden Deck Fasteners™

TALL – 175 piece (100 SF 16" o.c.)

Automatically provides 3/32" spacing between deck boards The TALL fastener is used with net 1" air-dried deck boards.

- (175) IPE CLIP® EXTREME™ Hidden Deck Fasteners
- (190) Stainless Steel T10 – Star Drive Screws
- (12) 3/8" Tapered Ipe Plugs
- (1) 1/8" High Speed Drill Bit
- (1) Screw Gun Driver Bit, (1) Instruction Sheet

ACCESSORIES - 2016

FINISHES



AnchorSeal²® End-Sealer for Hardwoods

AnchorSeal[®] is a high quality wax sealer that provides protection to prevent end-checking in freshly-sawn green logs and lumber. The sooner AnchorSeal[®] is applied after sawing, the more effective it will be in reducing end checking. Available by the quart.



Messmer's Wood Deck Cleaner and Brightener

Messmer's Wood and Deck Cleaner and Brightener (Part A and B) powder concentrates are specially formulated to clean and brighten exterior wood decks, porches, walls, and other exterior wood projects.



This two-part process removes superficial dirt and grime, and then removes deep tannin stains that result from extractive bleeding. Messmer's Wood and Deck Cleaner and Brightener is easy to use and biodegradable. Cleans up to 500 square feet per 16 oz. jar.



Messmer's Natural UV Plus for Hardwood Decks

Messmer's UV Plus for Hardwood Decks is an oil-based product that protects and conditions hardwoods, while also maintaining a natural appearance. It is produced with professional results in mind, providing water repellency and UV protection. Available by the gallon.

TOOLS



BoWrench[®] Deck Tool

The BoWrench[®] Deck Tool is a must-have for installation if you want straight gaps.

- Basic tool binds itself to any 2x (net 1-1/2") joist
- Frees up hands and legs, Gripper swivels for angled decking
- Interchangeable parts for pushing or pulling, Closes gaps up to 2-1/4" +
- Left or right handed. Simple to operate, Powerful mechanical leverage advantage.



DeckWise[®] Drill & Drive™ / 3-in-1 Pre-Drill, Countersink and Driver Tool

- Why have three separate tools when the DeckWise[®] Drill & Drive™ tool does the work of all three?
- Quickly install deck screws up to times faster than standard drilling and driving screws. Plus it is a general handy tool to have for miscellaneous projects around the house.
- Turn your drill into a 3-in-1 productive decking tool – after pre-drilling and countersinking with one of the included bits, pop the lock open, flip the insert to drive screws with the included star drive tip.

THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY
 FOB Fairless Hills, PA
 Hours: Monday-Friday,
 8:00 a.m. – 5:00 p.m. EST

Toll Free: 1-800-589-6637
 Fax: 1-215-269-7354
 info@thomahog.com

IPE DECKING TILES- 2016



Deck Tiles – Smooth Face

Product Code	Product Description	Imperial Size / Metric Size	Square Foot Coverage	Backing	Decking Face Width	Weight	Pallet Size
IPETILES 20SM	20" X 20" Ipe Deck Tile with Smooth Face	1.18" x 19.685" x 19.685" 30mm x 500mm x 500mm	2.7SF per Tile	Z Back	2-5/8"	12.5lbs	128pc per Pallet
IPETILES 24SM	24" X 24" Ipe Deck Tile with Smooth Face	1.5" x 23.875" x 23.875" 38mm x 606mm x 606mm	4SF per Tile	Straight Back	2-3/4"	22.5lbs	100pc per Pallet

- Sold Individually or in Pallet
- Resistant to Insect Infestation
- Easy to Install
- Maintain Color or Weather to Grey Patina
- Apply in Different Patterns
- Apply Over Existing Deck
- Roof Applications
- Use on the Ground
- Ideal for Walkways
- Landscape Design

I Connectors - Decking Tiles

Product Code	Product Description	Thickness	Color	Composition
IPETILECNCTRS	Ipe Tile Connectors w/9mm Panel Fasteners	5/32"	Black	Polyethylene

- Sold Individually-One Per Tile
- Chemical and UV Resistant
- Predrilled Countersink Holes for Easy Install
- Can be Divided into Halves and Quarters
- Lightweight and Durable
- Prevents Direct Contact with Ground
- Preset Gap Spacing for Even Looking Surface
- Only Hand Tools Required

TEAK PLYWOOD - TEAK & HOLLY PLYWOOD - 2016

Teak Plywood – Fancy Marine Grade

Product Code	Product Description	Metric Size	Number of Veneers	Weight
TP418A3	1/8" Teak Plywood AB 4x8	3MM	3	11lbs
TP414A3	1/4" Teak Plywood AB 4x8	6MM	5	23lbs
TP414AA	1/4" Teak Plywood AA 4x8	6MM	5	23lbs
TP412A3	1/2" Teak Plywood AB 4x8	12MM	7	47lbs
TP414AA	1/2" Teak Plywood AA 4x8	12MM	7	47lbs
TP434A3	3/4" Teak Plywood AB 4x8	18MM	9	66lbs
TP434AA	3/4" Teak Plywood AA 4x8	18MM	9	66lbs



- Marine Type 1 Glue
- Water Resistant Interior Product
- Quarter Sawn Faces
- Cross Laid Layers
- .55MM Veneer Face
- Lightweight Cores
- Quality Faces
- 4x10 available in quantities of 25pc or more

Teak & Holly Plywood – Commercial Grade Cabin Sole

Product Code	Product Description	Metric Size	Number of Veneers	Weight
TP414TH	1/4" Teak & Holly Plywood 4x8	6MM	5	23lbs
TP412TH	1/2" Teak & Holly Plywood 4x8	12MM	7	47lbs
TP414TH	3/4" Teak & Holly Plywood 4x8	18MM	9	66lbs

- Marine Type 1 Glue
- Water Resistant Interior Product
- Quarter Sawn Faces
- Cross Laid Layers
- 1/4" White Basswood
- 2-3/8" Wide Quarter-Sawn Teak
- 1MM Veneer Face
- 4x10 available in quantities of 25pc or more

**Minimum 5 Piece Order for LTL Shipment – Additional \$25.00
 Charge for LTL Shipments**

THOMPSON MAHOGANY

Quality Since 1843

WHOLESALE TRADE ONLY Toll Free: 1-800-589-6637
 FOB Fairless Hills, PA Fax: 1-215-269-7354
 Hours: Monday-Friday, info@thomahog.com
 8:00 a.m. – 5:00 p.m. EST

TEAK LUMBER - 2016

Teak, known as the “king” of hardwoods due to its long service life and durable characteristics, is a close-grained wood with high natural oil content. It is one of the most durable of all timbers, highly resistant to any rotting and almost impervious to the effects of hot sun, rain, frost or snow.

Durable – Teak is resistant to climate extremes, insects and fungus. It is not harmed by acids or alkali solutions. Plus, Teak’s inherent silica content and natural oils allow it to weather without the need of preservatives or sealants.

Restorable – Even after being left untreated for years, Teak can be restored to its original golden-brown color. Many prefer to let it weather to an attractive silver-gray. Teak that has been coated with finishes and oils can retain its original condition with regular applications.

GRADES:	FEQ in stock
CUTS:	Flatsawn, Quartersawn
SIZES:	4/4, 5/4, 6/4, 8/4, 10/4, 12/4, 16/4 3” and wider, 6’ to 20’ Shorts also available Custom sizes are available Special pulls for length or width Special pulls for grain FSC® Certified 100% Recycled Teak Available
DRYING:	Kiln-Dried (KD)

